



 CSCLED

2024




1 - 888 - 900 - 9885 | [info@csc-led.com](mailto:info@csc-led.com)  
[www.csc-led.com](http://www.csc-led.com)

# Flood / Area Lights

## FL05 Series

NEW!

**FLEX**  
FL05 FLOOD / AREA LIGHTS



### FLEX Series Flood / Area Lights

The successor to our best-selling FL04B Concorde series Flood / Area Lights! Power and colour selectable, available in bronze, black, and white\*. A variety of accessories available including easy field interchangeable optics (sold separately). Photocell and sensor ready.



Watts	Selectable (60W/80W/100W), (100W/125W/150W)*, (180W/210W/240W), (260W/280W/300W)*, (350W/400W/450W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	8825-40953 lm

#### Choose Your Mount!

Available in Bronze, Black, White (sold separately)



Fixed Mount



Multi Mount



Pole Mount



Trunnion Mount



Yoke Mount

### FL04B Series

CLEARANCE



Available in: Bronze, White\*

#### Concorde Series

Quick-release, hinged access cover for control compartment. Pre-wired for optional motion sensor (sold separately).



Watts	100W, 150W, 200W, 300W*
Voltage	120-347V
CCT	30K, 40K, 50K
DLC	Premium
Lumens	8123-41344 lm

### FL04 Series

CLEARANCE



Available in: Bronze

#### Concorde Series

Complete with trunnion mount. Type III optics come standard (Type V available).



Watts	240W, 300W
Voltage	277-480V
CCT	40K, 50K
Lumens	31053-36705 lm

### FL02 Series

CLEARANCE



Available in: White

#### Streamline Series

Ideal for landscape lighting, architectural flood lighting, and interior wall washing.



Watts	20W
Voltage	120-277V
CCT	40K
Lumens	2370 lm

# Flood / Area Lights

## FLM02 Series



Available in: Bronze

### Mini Flood Lights

Ideal for landscaping, patio and security lighting, building facades, signs, and more.



Watts	15W*, Selectable (15W/20W/30W), (20W/30W/50W), (55W/70W/80W)
Voltage	120-277V*, 120-347V
CCT	40K*, Selectable (30K/40K/50K)
DLC	Premium
Lumens	1856-11270 lm

## FLM Series

WHILE SUPPLIES LAST



Available in: Bronze

### Mini Flood Lights

Ideal for landscaping, patios, security lighting, signs, and more. Features a built-in photocell.



Watts	15W*, 30W
Voltage	120-277V
CCT	40K*, Selectable (30K/40K/50K)
DLC	Premium (30W), Standard (15W)
Lumens	1603-4141 lm

## PTA02 Series

NEW MODELS



Available in: Bronze

### Pole Top Area Lights

Suitable for use with up to 3" OD poles and complete with a high efficiency Type V optic lens.



Watts	35W, 55W, 75W, 100W, 150W
Voltage	120-277V, 120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	4174-18747 lm

# Downlights

## SP01B Series



Available in: Black

### Sports Stadium Lights

Now available in more wattages and 120-347V! Complete with Yoke Mount.



Watts	500W, 750W, 1000W
Voltage	120-347V
CCT	50K
DLC	Premium
Lumens	69937-148772 lm

## CDL02 Series

WHILE SUPPLIES LAST



Available in: Silver

### CDL02 Series Commercial Downlights

Energy Star rated with 0-10V dimming and a built-in junction box. All models feature 120-347V universal driver with 4kV surge protection. Reflectors required for installation and are sold separately.



Watts	15W, 20W, Selectable (27W/34W/40W)*
Voltage	120-347V
CCT	Selectable (30K/40K/50K), (30K/35K/40K)*
Lumens	1050-3000 lm



Achieve your custom look by choosing from our 5 reflector options

### Accessories (Sold Separately):

4" Round Reflector, 4" Square Reflector, 4" Round Wall Wash Reflector, 6" Round Reflector, 8" Round Reflector



# High Bays

## HB8 Series

NEW!



Available in: Black, White\*\*

### HB8 Series High Bays

The successor to our best-selling HB7C High Bays! Now power and colour selectable, with select models available in white. Our shatterproof polycarbonate optics meet/exceed DLC 5.1 glare standards. Instant start and 0-10V dimmable.



Watts	Selectable (60W/80W/100W), (100W/120W/150W)**, (200W/220W/240W)**, (240W/270W/300W)*
Voltage	120-277V*, 120-347V, 277-480V*
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	9172-46362 lm

A variety of accessories sold separately



## LHB04 Series

NEW!



Available in: White

### LHB04 Series Linear High Bays

The successor to our best-selling LHB03 Linear High Bays, now power and colour selectable! Ideal for warehouses, factories, workshops, and more. An energy efficient replacement for traditional fluorescent fixtures and HID high bays.



Watts	Selectable (70W/90W/110W), (110W/130W/150W), (180W/200W/220W), (255W/275W/295W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium
Lumens	10318-46571 lm

## HB7C Series

WHILE SUPPLIES LAST



Available in: Black

### HB7C Series High Bays

Our shatterproof polycarbonate optics meet DLC 5.1 glare standards. Variety of accessories available.



Watts	100W, 150W, 200W, 240W, 300W*
Voltage	120-277V, 120-347V, 277-480V*
CCT	40K, 50K
DLC	Premium
Lumens	14398-40684 lm

## LHB03 Series

WHILE SUPPLIES LAST



Available in: White

### Linear High Bays

With shatterproof polycarbonate optics that meet DLC 5.1 glare standards. Mounting hooks included.



Watts	110W, 220W
Voltage	120-347V
CCT	40K
DLC	Premium
Lumens	14813-41148 lm

# Panels / Troffers

## PLP Series



Available in: White

### PLP Series Panel Lights

These DLC Premium panel lights are colour selectable and power selectable.



Watts	Selectable (20W/30W/40W, (30W/40W/50W)
Voltage	120-347V
CCT	Selectable (30K/35K/40K)
Size	1'x4', 2'x2', 2'x4'
DLC	Premium
Lumens	2606-6478 lm

## PLS Series



Available in: White

### PLS Series Panel Lights

High performance, light-weight luminaires suitable for lay-in, surface, or pendant mounting. Ideal for use in schools, health care applications, offices, retail spaces, and more. Power selectable and 0-10V dimmable.



Watts	Selectable (20W/30W/40W), (30W/40W/50W)
Voltage	120-277V*, 120-347V
CCT	40K*, Selectable (35K/40K/50K)
Size	1'x4', 2'x2', 2'x4'
DLC	Premium, Standard (40K, 120-277V)
Lumens	2646-5909 lm

"We have been using the PLP series and the feedback has been nothing but spectacular. This product line covers every option all in one unit."

- Verified purchaser



## VOL Series



Power selectable models meet/exceed DLC 5.1 glare standards for increased visual comfort

Available in: White

### VOL Series Volumetric Troffers

Ideal for commercial lighting areas such as offices, retail spaces, hallways, healthcare applications, and more. Rigid steel frame mounts to any T-Bar ceiling. Now available in power selectable and colour selectable models.



Watts	30W, 40W, Selectable* (20W/30W/40W), (30W/35W/40W)
Voltage	120-347V
CCT	35K, 40K, Selectable* (30K/35K/40K)
Size	1'x4', 2'x2', 2'x4'
DLC	Standard (VOL22-40W-3P-3CCT-UD), Premium (VOL24-40W-3P-3CCT-UD)
Lumens	2760-5190 lm

# Canopy Lights

## GCL01 Series



Available in: White

### Garage Canopy Lights

Horizontal light dispersion for maximum uniform coverage. Optional motion sensor available (sold separately).



Watts	45W, 75W
Voltage	120-347V
CCT	40K
Beam	170°
DLC	Premium
Lumens	5958-9558 lm

## CP03 Series



Available in: White

### CP03 Series Canopy Lights

Power and colour selectable with a dropped lens for improved beam angle.



Watts	Selectable (20W/30W/40W, 40W/60W/75W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
Beam	110°
Lumens	2892-9414 lm

See what our customers are saying about us!

"I love the quick response when I send an inquiry!"

- January 2024 Review



"CSC LED products have been great. Customers love the quality of the fixtures!"

- February 2024 Review



"Clear and concise product instructions, plus a great web layout and order procedure!"

- February 2024 Review



"I love being able to see a picture of the product, available inventory, pricing, and spec sheets all on the same page!"

- March 2024 Review



"Always friendly staff that help when needed!"

- April 2024 Review



"Pricing is always good, and very competitive with other manufactures"

- May 2024 Review



# Cylinders

## WCYL Series

NEW!



Available in: Black

### WCYL Series Wall Cylinders

The RGBW model boasts 16 colours and 5 operating modes. Direct and Direct / Indirect models available.



Watts	30W*, Selectable (7W/10W/15W), (10W/20W/30W)
Voltage	120-277V*, 120-347V
CCT	Selectable (30K/40K/50K), RGBW*
Lumens	739-3203 lm

## CYL Series

NEW!



Available in: Black, White

### CYL Series Cylinder Lights

Power and colour selectable. Pendant Mount Kit available (sold separately).



Watts	Selectable (21W/28W/35W)
Voltage	120-347V
CCT	Selectable (27K/30K/35K/40K)
Beam	30° / 40° / 50° / 60°
Lumens	3476 lm

**CLEARANCE:** Limited Quantity  
Comes with 1-year manufacturer warranty

www.csc-led.com | info@csc-led.com

# Vapour Proofs

## VT Series

NEW MODELS!



Available in: White / Grey

### NEMA 4X Vapour Tights

IP66 or IP67, NEMA 4X, and IK10 rated. Power selectable and colour selectable options available. Ideal for parking garages, car washes, industrial applications, food processing plants, paint shops, and other harsh environments.



Watts	100W, 150W, Selectable (15W/20W/25W), (20W/28W/35W), (30W/45W/60W), (65W/75W/90W/110W), (150W/175W/200W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium
Length	2', 4', 8'
Lumens	2283-30950 lm

# Security / Work Lights

# T-Grid

## TWL Series



Available in: Orange

### Temporary Work Light

Ideal for subway construction, factory/residential renovations, docks, and more.



Watts	100W
Voltage	120V
CCT	50K
Beam	266°
Lumens	12500 lm

## SS Series



Available in: Black, White

### SS Series Security Lights

Swivel arms allow for directional light. Includes 180° motion detection and 3 operating modes.



Watts	20W
Voltage	120-277V
CCT	50K
Lumens	1815 lm

## T-Grid Series

CLEARANCE



Available in: Silver

### T-Grid Integrated Luminares


Seamless integration into suspended ceilings allows you to create unique lighting designs.



Watts	10W, 20W
Voltage	120-277V
CCT	35K, 40K
Length	2', 4'
Lumens	1300-2600 lm

# Strip Lights

## AL Series



Available in: Black, White

### AL Series Architectural Linear Strips

Elevate your space by creating your own custom lighting design. Available in direct and direct/indirect models, black and white finishes, and in three different lengths. A variety of accessories available to meet your projects needs.



Watts	20W, 40W, 80W
Voltage	120-347V
CCT	Selectable (30K/35K/40K)
Length	2', 4', 8'
Lumens	2100-9263 lm

## WR1 Series



Available in: White

### WR1 Wrap Fixture

Ideal for commercial and industrial applications. Surface or pendant mount ready.



Watts	35W
Voltage	120-277V
CCT	40K
DLC	Standard
Lumens	4300 lm

**AL Backlit Connectors**  
Available in black and white



## WR2 Series



Available in: White

### WR2 Wrap Fixture

CSC LED's most versatile wrap fixture that meets or exceeds all commercial specifications.



Watts	Selectable (24W/27W/30W/35W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium
Lumens	5100 lm

## ST Series



Available in: White

Designed for a quick and easy installation by opening and closing without the use of tools

### Colour Selectable Linear Strip Lights

Ideal for shops, cove lighting, and general area lighting. Available in multiple lengths with the 4' and 8' models being power selectable. Plug & Play row mounting kits available for 4' and 8' models (sold separately).



Watts	20W, Selectable (20W/30W/40W) or (50W/60W/70W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium
Length	2', 4', 8'
Lumens	2638-10199 lm



# Bollards

## BL01 Series



Available in: Black

### BL01 Series Bollards

Bases available in three different heights: 19", 35", 42". Visor available (sold separately).



Watts	Selectable 14W (Field Adjustable to 25%, 50%, 75%, 100%)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
Lumens	1680 lm

## CWP05 Series

NEW!



Available in: Bronze

### CWP05 Series Wall Packs

Now with power selectable options! Ideal for any outdoor general purpose lighting.



Watts	Selectable (20W/30W/40W), (30W/40W/60W), (45W/60W/80W), (80W/100W/120W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	3054-17966 lm

# Wall Packs

## KWP Series

NEW!



Available in: Bronze, Black, White

### Keystone Series Wall Packs

A sleek, modern alternative to classic wall packs with a built-in photocell. Retrofitting made simple and easy.



Watts	Selectable (20W/30W/40W), (40W/60W/80W), (80W/100W/120W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
Lumens	3649-20914 lm

## CWP04 Series

WHILE SUPPLIES LAST



Available in: Bronze

### CWP04 Series Wall Packs

Ideal for entryway and exterior security lighting, with easy installation and maintenance.



Watts	40W, 80W, 120W
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	5623-16942 lm

## CWPS Series

NEW ACCESSORIES!



Available in: Bronze

### Slim Classic Wall Packs

Power and colour selectable. New slim, streamlined design with quick and easy installation.



Watts	Selectable (20W/30W/40W), (40W/60W/80W), (80W/100W/120W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	2986-16420 lm

## CWP03 Series

CLEARANCE



Available in: Bronze

### CWP03 Series Wall Packs

Ideal for exterior and entryway lighting. Features a durable die-cast aluminum body with a bronze finish.



Watts	40W, 60W, 80W, 120W
Voltage	277-480V
CCT	40K, 50K
Lumens	5587-17113 lm

"These wall packs are phenomenal! They're super bright. We will use them again."

- Verified Purchaser

# Wall Packs

## AWP04 Series



Available in: Bronze

### Architectural Wall Packs

Ideal for building entrances, multi-use facilities, apartment buildings, schools, and more.



Watts	Selectable (10W/20W/30W/40W), (50W/60W/70W/80W), (60W/80W/100W/120W)*
Voltage	120-347V
CCT	40K*, Selectable (30K/40K/50K)
DLC	Premium
Lumens	5059-15960 lm

## AWP03 Series

WHILE SUPPLIES LAST



Available in: Bronze

### Architectural Wall Packs

Versatile wall pack with a slim profile that fits almost any outdoor lighting application.




Watts	40W, 120W*
Voltage	120-277V, 120-347V*
CCT	40K
DLC	Premium
Lumens	5155-15701 lm

“Easy installation, adjustable head, covers all voltages. Great product!”

- Verified Purchaser

## DWS Series

WHILE SUPPLIES LAST



Available in: Bronze, Black

### Decorative Wall Sconces

Choose from 3 covers to create your custom look. Suitable for indoor or outdoor applications.



Watts	15W
Voltage	120-277V
CCT	30K, 40K
Lumens	1300 lm



DWS-C1

DWS-C2

## MWP04 Series



Available in: Bronze, Black

### Mini Wall Packs

Ideal for security lighting, commercial entrances, stairways, perimeter areas, and more.



Watts	Selectable (10W/15W/20W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	1322-2749 lm

## RWP02 Series

WHILE SUPPLIES LAST



Available in: Black

### Rotatable Wall Packs

Use as an uplight, downlight, or flood light with the two 270° rotatable modules.



Watts	40W, 60W, 80W
Voltage	120-277V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	5077-9268 lm

## WPX Series

WHILE SUPPLIES LAST



Available in: Black, White

### WPX Wall Packs

Ideal for outdoor wall-mount applications such as commercial, industrial, or hospitality buildings.



Watts	30W, 50W, 80W, 120W
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Lumens	3764-14499 lm